



10/8/3,213



7-19-4

INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

J. Evans

Dated 1 April 2004

**CERTIFIED COPY OF
PRIORITY DOCUMENT**

THIS PAGE BLANK (USPTO)



03APR03 177290-1 D02624
P01/7700 1.00-0307648.6

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

AJBB/SPY/H.117

2. Patent application number

(The Patent Office will fill in this part)

02 APR 2003

0307648.6

3. Full name, address and postcode of the or of each applicant (underline all surnames)

BENOIST GIRARD SAS

203, Boulevard de la Grande Delle - B.P.8.
14201 Hérouville-Saint-Clair Cédex
FRANCE

08098337001
Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

FRANCE

4. Title of the invention

GREATER TROCHANTER RE-ATTACHMENT DEVICE

5. Name of your agent (if you have one)

G.F. REDFERN & CO.

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

7 Staple Inn,
Holborn,
London,
WC1V 7QF

Patents ADP number (if you know it)

1412002 ✓

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

8

Claim(s)

Abstract

Drawing(s)

4

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)


Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature



Date

2 April 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

A.J. Bridge-Butler
020 7242 7680

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

GREATER TROCHANTER RE-ATTACHMENT DEVICE

This invention relates to a greater trochanter re-attachment device for use in transfemoral revision surgery. In the surgical technique which involves transfemoral osteotomy the femur is exposed along a proximal/distal line, the soft tissue (skin, muscle) being folded back on each side to expose the bone. The proximal end of the femur is now opened as a "window" and a femoral prosthesis is inserted into the bone canal.

When this surgery is performed in the transfemoral approach the lengthwise dissection of the bone leaves the greater trochanter in place on a displaced portion of the bone. When the bone is closed again and the greater trochanter is in its correct position there is a loading on the closed bone where it has previously been opened and in known techniques the portions of the bone are wired together thus re-attaching the greater trochanter to the stem. This osteosynthesis occurs at the end of the operation. This is a critical aspect of the surgery because if the flap of bone containing the greater trochanter (the greater trochanter window) is not well attached the stresses on the stem will not be well distributed and a peak of stress can effect the distal tip of the stem leading to a cortex reaction, or a breakage of the stem, or of the screws if the stem is distally located.

The present invention is intended to provide a trochanter re-attachment device and a femoral prosthesis having the device in combination therewith which will simplify the osteosynthesis and shorten the time required to perform it.

According to the present invention a greater trochanter re-attachment device for use in transfemoral revision surgery comprises attachment means adapted for securing to a femoral prosthesis with which it is to be used, said attachment means carrying adjustable securing means adapted to extend from the attachment means and pass around the flap of bone containing the greater trochanter and which when

secured in position hold the greater trochanter in position in relation to the femoral prosthesis.

The attachment means may comprise a threaded screw adapted for insertion in a screw threaded socket in the shoulder of the femoral prosthesis with which it is to be used.

The adjustable securing means are preferably in the form of an elongated flexible tie, for example a wire or ribbon, and two or more ties can be provided if required.

In one preferred embodiment the threaded screw is provided with openings to receive the elongated flexible tie.

In another preferred construction the adjustable securing means are carried on one free end of a bracket which extends over the proximal external surface of the greater trochanter and the other end of which carries the attachment means.

With this construction the bracket can have two arms which are substantially normal to each other, the first arm having a curved re-entrant shape to extend around and over the proximal end of the greater trochanter and having a bifurcated free end provided with said adjustable securing means, and the second arm carries the attachment means.

The bifurcated free ends of the first arm can each include a guide or guides to locate the adjustable securing means.

The bracket can be made from any convenient material, for example a synthetic plastics material or metal which is compatible with the requirements of the human body.

The invention also includes a device as set forth above in combination with a femoral prosthesis.

Thus, the femoral prosthesis can be provided with a screw threaded socket in its shoulder which is adapted to receive a stem impactor or extractor, or a targeting device, and which receives the attachment means.

The invention can be performed in various ways but two embodiments and a description of a previously known method of attaching the greater trochanter during transfemoral revision surgery will now be described by way of example and with reference to the accompanying drawings in which :

Figure 1 is a pictorial view showing a known method of attaching the part of the bone of the femur which carries the greater trochanter in the opened (window) position and ready for re-attachment after transfemoral revision surgery;

Figure 2 is a side elevation of a greater trochanter re-attachment device according to the present invention;

Figure 3 is a plan view of the device shown in Figure 2;

Figure 4 is an end view of the device shown in Figures 2 and 3;

Figure 5 is a pictorial view of a femur with an installed femoral prosthesis after transfemoral revision surgery and showing the re-attachment device as shown in Figures 2, 3 and 4 in place;

Figure 6 is a pictorial plan view of the greater trochanter shown in Figure 5 with the re-attachment device in place;

Figure 7 is a side pictorial view of another construction according to the present invention;

Figure 8 is a pictorial side view of another construction similar to that shown in Figure 7 assembled on a femoral prosthesis;

Figure 9 is a pictorial front view of the assembly shown in Figure 8; and,

Figure 10 is a pictorial top view of the assembly shown in Figures 8 and 9.

Figure 1 shows a known standard technique for closing the greater trochanter window after the installation of a femoral prosthesis. The stem 1 of the femur has been resected with three cuts along the axis of the bone and a transverse cut so that it can be opened, the portion of the bone containing the greater trochanter being indicated by reference numeral 2. The femoral prosthesis 3 has been inserted into one part 4 of the bone canal and another part of the canal which is in the portion 2 is indicated by reference numeral 5. The third central portion 15 of the bone is also provided which assists when the "window" is closed.

Reference numeral 6 indicates the muscles which are attached to the greater trochanter 7.

The femoral prosthesis 3 has a shoulder 8, a neck 9 and a screw threaded socket 10 is provided in the shoulder 8 to receive a stem impactor or extractor, or a targeting device. The distal end of the prosthesis is located in the bone canal 4 by means of screws 11.

During the surgery holes 12, 13 are drilled through the bone to accept binding wires 14 and when the "window" is closed these binding wires are pulled tight and clamped together.

Extra tie wires, not shown in Figure 1 but shown in Figure 5 are also usually employed to hold the bone together.

It will be appreciated that there are difficulties drilling the holes 12, 13, in threading the wires through them and then subsequently clamping them, and the technique is not without difficulties.

The greater trochanter re-attachment device for use in transfemoral revision surgery according to the present invention is shown in Figures 2, 3 and 4 and comprises a bracket 20 which has a first arm 21 which is substantially normal to a second arm 22. The first arm 21 has a curved re-entrant shape to extend around and over the proximal end of a greater trochanter. The free end of this arm 21 is bifurcated, as is most clearly shown in Figure 3 and Figure 5, and has adjustable securing means 23 which extend around the external surface of the bone substantially normal to its proximal distal length. The securing means is in the form of an elongated flexible tie 24 which can be, for example, a wire or ribbon. In the drawings it is shown in ribbon form with an end connector 25. The flexible connector extends through a guide in the bifurcated ends of the arm 21. In the arrangement shown in the drawings the guides are in the form of rectangular apertures 26 but they could be in the form of clips on the outer surface of the arm or any other convenient construction. As shown in Figures 2, 3 and 4 a series of apertures 26 are provided and the tie 24 can be used in any one of them. If appropriate one or more further ties, indicated by chain lines 26a, can be included.

If only one tie is used, or two close together, the unwanted bifurcated ends of the arm 21 can be removed.

The second arm 22 is provided with an opening 27 to receive attachment means for securing to the femoral prosthesis in the form of a threaded screw 30 (not shown in Figures 2, 3 or 4 but indicated in Figure 5). The screw 30 thus carries the adjustable securing means 24 via the bracket 20.

Figure 5 shows how the device shown in Figures 2, 3 and 4 is employed to re-attach the greater trochanter after transfemoral revision surgery.

The bracket 20 is first placed in position on the greater trochanter 7, the bifurcated ends of the arm 21 enabling the surgeon to pass them through the muscles 6 until the bracket is in the position shown in Figure 5. In this position the opening 27 in the second arm 22 is aligned with the screw threaded socket 10 in the prosthesis and a screw 30 is used as attachment means to secure the bracket to the shoulder 8 of the prosthesis 3.

The flexible tie 24 can now be passed through the apertures 26, assembled around the bone as shown in Figure 5 and tightened so that it acts as securing means extending around the external surface of the bone substantially normal to its proximal/distal length. If desired the flexible tie 24 could be pre-assembled on the end of the arm 21 prior to connecting the bracket to the shoulder 8 of the prosthesis 3.

In the assembly shown in Figures 5 and 6 a single tie 24 is used in a single aperture 26 in the bifurcated arm 2 but if required a bracket having a number of apertures 26 could be employed with two or more ties 24a.

Additional external tie wires 27 can also be provided to hold the portion 2, part 4 and central portion 15 of the bone in place.

It will be appreciated that the present invention provides a simple device for rigidly holding the greater trochanter in place after the femoral prosthesis has been inserted.

Figures 1 and 5 show the head 31 of the prosthesis in place in an acetabular cup 32. The technique of being able to place the head 31 in position during transfemoral revision surgery is one of the advantages of this approach.

Figures 7, 8, 9 and 10 show another greater trochanter re-attachment device for use in transfemoral revision surgery according to the invention. The same reference numerals are used to indicate similar parts to those shown in Figures 1 to 6.




In this construction the attachment means is provided by a threaded screw 40 which has a cylindrical head 41. A series of rectangular openings 42 extend diametrically across the head. The adjustable securing means is again provided by an elongated flexible tie 43 having a connector 44. Although a flexible tie is shown a wire or similar element could be employed.

Figures 8, 9 and 10 show a device similar to that shown in Figure 7 but employing a flexible wire which can pass through circular openings 45 in the screw. The device is employed to re-attach the greater trochanter 2 after transfemoral revision surgery but in order to clarify the drawings various integers shown in Figures 1 and 5 are omitted. The screw 40 is located in the screw threaded socket 10 in the prosthesis and the flexible tie 43 is first threaded through a sleeve 46 and then through one of the openings 45 with the connector 44 to one side. The tie is now passed around the greater trochanter 2 and back through the sleeve 46, around the end of the central portion 15 of the bone and back through the connector 44. The tie is then pulled tight so that the greater trochanter is held in the position shown in Figure 8 so that it acts as a securing means extending around the external surface of the greater trochanter 2 and the bone portion 15 to hold them in position, the free end protruding from the connector 44 is then removed.

Alternative wrapping arrangement for the tie 43 can be as desired by the surgeon provided that the greater trochanter and portion of the bone 15 are held tightly in position.

It will be appreciated that with this arrangement the device is simple to operate but can provide the necessary pressure.

Additional external wires 27 can be used to hold the portion 2, part 4 and central portion 15 of the bone in place as described with regard to Figures 1 to 6 and the tie 43 has the facility of being able to pass through the muscles 6 without disadvantage.



THIS PAGE BLANK (USPTO)






Fig 2




Fig 3




Fig 4

THIS PAGE BLANK (USPTO)




Fig 7

THIS PAGE BLANK (USPTO)




Fig 8




Fig 9




Fig 10

THIS PAGE BLANK (USPTO)